

43. Dietary changes in pig nutritional studies shape the structural and functional composition of the pig's fecal microbiome - from days to weeks	63
*Seifert J., Tilocca B., Burbach K., Heyer C. M. E., Camarinha-Silva A., Hölzle L. E., Mosenthin R., Stefanski V. – Stuttgart	
44. Effect of supplementing broiler diets with dry whey powder and whey protein concentrate on the productive performance, digestibility of nutrients and cecal microbiota composition	64
*Pineda-Quiroga C., Camarinha-Silva A., Borda-Molina D., Atxaerandio R., Ruiz R., García-Rodríguez A. – Vitoria-Gasteiz/Stuttgart	
45. Caecal microbial community response to prebiotic and probiotic supplementation in laying hens diets	65
*Borda-Molina D., Pineda-Quiroga C., Chaves-Moreno D., Ruiz R., Atxaerandio R., Camarinha-Silva A., García-Rodríguez A. – Stuttgart/Vitoria-Gasteiz/Braunschweig	
46. In situ disappearance kinetics of phosphorus and macronutrients and rumen microbial abundance in cows fed concentrates treated with lactic acid, with or without inorganic phosphorus supplementation	66
*Khiaosa-Ard R., Mickdam E., Metzler-Zebeli B. U., Humer E., Harder H., Khol-Parisini A., Zebeli Q. – Vienna	
47. Postruminal digestion of starch infused into the abomasum of heifers with or without exogenous α-amylase administration	67
*Hansen K., Westreicher-Kristen E., Tröscher A., Blank R., Dickhöfer U., Susenbeth A. – Kiel/Lampertheim/Stuttgart	
48. Effect of different particle sizes of barley on apparent total tract digestibility in horses	68
*Küsters J., Schedle K., Gierus M. – Vienna	
49. Chewing patterns in horses during the intake of various quantities of two pelleted mixed feeds differing in their physical characteristics only	69
*Bochnia M., Goetz F., Wensch-Dorendorf M., Kamphues J., Zeyner A. – Halle (Saale)/Hanover	
50. Influences of lactation stage and different energy concentrations in roughage on ruminal pH and rumination activity in pluriparous dairy cows	70
*Schmitz R., von Soosten D., Meyer U., Rehage J., Dänicke S. – Braunschweig/Hanover	
51. Use of fat: protein ratio in milk as an indicator of subacute rumen acidosis: A meta-analysis	71
*Zschiesche M., Mohr T., Sharifi R., Hummel J. – Göttingen	
52. The presence and localization of apelin in the sheep abomasum: impact of diets characterized by different chemical composition	72
*Dall'Aglio C., Ceccarelli P., Pirino C., Maranesi M., Catorci A., Scocco P., Acuti G., Mercati F. – Perugia/Camerino	
53. The presence and localization of Cannabinoid receptors Type-1 and Type-2 in the swine ileocecal valve: the effects of different physical forms of diet on their expression	73
*Pirino C., Cappai M. G., Kamphues J., Dall'Aglio C. – Perugia/Sassari/Hanover	
54. Effects of exocrine pancreatic insufficiency on diversity of the ileal microbiota - studies in juvenile pancreatic duct ligated pigs	74
*Möbeler A., Handl S., Vital M., Kamphues J. – Hanover/Vienna/Braunschweig	
55. Growth performance and digestive capacity of mealworms (<i>Tenebrio molitor</i> L.) fed with low or high fiber diets	75
*Paulicks B., Eisen E., Becker C., Brugger D., Windisch W. – Freising	
Amino acids and nitrogen	
56. Effects of moderate feed restriction and dietary L-arginine supplementation on cellular and humoral parameters of an acute lipopolysaccharide induced innate immune response in cockerels of a dual-purpose breed	76
*Lieboldt M.-A., Frahm J., Halle I., Dänicke S. – Braunschweig	

162. Effects of diets' physical form as well as of the housing in littered pens on broiler's organ development	182
*Ratert C., Kriewitz J.- P., Chuppava B., Visscher C., Keller B., Kamphues J. – Hanover	
163. Intestinal luminal pH is associated with worm expulsion in chickens	183
*Stehr M., Das G., Zentek J., Metges C. C. – Dummerstorf/Berlin	
164. What is the milk composition of the Indian rhinoceros (<i>Rhinoceros unicornis</i>) and how does it change within one year?	184
*Gimmel A., Deillon L., Hoby S., von Houwald F., Schweizer R., Kölln M., Ratert C., Liesegang A. – Zurich/Basel/Hanover	
<hr/>	
Communications of the Committee for Requirement Standards of the Society of Nutrition Physiology	185
<hr/>	
Equations for predicting metabolisable energy and digestibility of organic matter in forage legumes for ruminants	186
<hr/>	
Gleichungen zur Schätzung der Umsetzbaren Energie und der Verdaulichkeit der Organischen Substanz von Grobfutterleguminosen für Wiederkäuer	194
<hr/>	
Statement on energy evaluation of feeds for pigs based on metabolisable energy versus net energy	203
<hr/>	
Stellungnahme zur energetischen Futterbewertung beim Schwein auf Basis Umsetzbarer Energie versus Nettoenergie	210
<hr/>	
Stellungnahme zur Unerlässlichkeit von Tierversuchen und zur Eignung von Ersatzmethoden in der Tierernährungsforschung	218
<hr/>	
Index	225

146. Comparative effects of lipopolysaccharide challenge on cytokine mRNA expression in the liver in non-obese ponies and horses	166
*Schedlbauer C., Blaue D., Blüher M., Gittel C., Walter B., Almuth E., Vervuert I. – Leipzig	
147. Effects of glyphosate residues in animal feed on performance, energy metabolism and health characteristics in lactating dairy cows	167
*Schnabel K., Schmitz R., von Soosten D., Meyer U., Breves G., Dänicke S. – Braunschweig/Hanover	
148. Effects of an intramammary lipopolysaccharide challenge on metabolic responses and liver enzymes in dairy cows experiencing or not subacute ruminal acidosis	168
*Aditya S., Humer E., Pourazad P., Khiaosa-Ard R., Zebeli Q. – Vienna	
149. Measurement of abomasal luminal pressure, pH and temperature in healthy and diarrheic dairy calves using a wireless ambulatory capsule (SmartPill®)	169
*Hildebrandt T., Scheuch E., Weitschies W., Bachmann L., Vervuert I. – Leipzig/Greifswald/Uelzen	
150. Systemic availability of quercetin after oral application of quercetin or rutin in miniature Shetland ponies	170
*Wein S., Niemann S., Wolffram S. – Kiel	
151. Pilot study about day-to-day variation of HCl-insoluble ash in faeces of horses	171
*Penning M., Swagemakers J.-H., Mößeler A., Kamphues J. – Lüsche/Hanover	
152. Different inflammatory cytokine expression in several adipose tissue localisations in non-obese ponies and horses undergoing a lipopolysaccharide (LPS) challenge	172
*Blaue D., Schedlbauer C., Blüher M., Gittel C., Brehm W., Einspanier A., Vervuert I. – Leipzig	
153. Field Study to investigate the informative value of allergene screening tests based on IgE ELISA in horses with respiratory symptoms or skin diseases	173
*Penning M., Swagemakers J.-H., Mößeler A., Kamphues J. – Lüsche/Hanover	
154. Relationships between feed intake, chewing activity, diet digestibility, and rumen microbial protein synthesis in lactating dairy cows	174
*Aloba A. T., Dickhoefer U., Selje-Abmann N. – Stuttgart	
155. Spatial heterogeneity of vegetation and grazing behavior of cattle on pastures in the Peruvian Andes	175
*Jocher F., Castro Montoya J., Lawrence P., Gomez C., Dickhoefer U. – Stuttgart/Lima	
156. Plasma thyroid hormone concentrations in dairy cows of high versus normal body condition	176
*Webb L. A., Schuh K., Dusel G., Wagner M., Koch C., Sauerwein H., Sadri H. – Bonn/Bingen/Münchweiler a. d. Alsenz	
157. Effects of a ration change from a silage and concentrate- to a pasture-based diet on the motoric activity and rumination of dairy cows	177
*Hartwiger J., Schären M., Potthoff S., Meyer U., Breves G., Dänicke S. – Braunschweig/Hanover	
158. Chemical body composition of individual newborn piglets with different weights at birth	178
*Antonczyk C., Ratert C., Kamphues J. – Hanover	
159. Effect of formula-feeding on the susceptibility of neonatal piglets to Clostridium difficile infection	179
*Grzeskowiak L., Pieper R., Martínez-Vallespín B., Vahjen W., Zentek J. – Berlin	
160. Influence of drying at low temperatures on composition of nitrogenous compounds in excreta of broilers and caecectomised laying hens	180
*Siegert W., Hofmann P., Rodehutsord M. – Stuttgart	
161. Campylobacter jejuni infection in chicken of different genetic lines and ages under the influence of dietary lauric acid rich palm kernel fatty acids in a complete diet	181
*Visscher C., Hankel J., Zeiger K., Popp J., Meemken D. – Hanover	

132. The effects of polyunsaturated fatty acids on markers of cartilage degradation in a canine model of osteoarthritis 152

*Schoeniger A., Fuhrmann H., Adler N. – Leipzig

133. Fatty acid profile and flotillin-1 abundance in red blood cell membranes of dairy cows fed a total mixed ration with reduced essential fatty acid content 153

*Revsikij D., Haubold S., Kröger-Koch C., Tuchscherer A., Kienberger H., Rychlik M., Tröscher A., Schuberth H.-J., Hammon H. M., Mielenz M. – Dummerstorf/Freising/Limburgerhof/Hanover

134. Influence of conjugated linoleic acids (CLA) and vitamin E on milk fatty acid composition and α -tocopherol concentrations in blood and milk 154

*Schäfers S., Meyer U., von Soosten D., Hüther L., Eder K., Most E., Tröscher A., Pelletier W., Zeyner A., Dänicke S. – Braunschweig/Giessen/Lampertheim/Halle(Saale)

135. Effects of abomasal infusion of essential fatty acids and conjugated linoleic acid on performance, fatty acid status and metabolism in dairy cows fed a ration with reduced essential fatty acid content 155

*Haubold S., Kröger-Koch C., Tuchscherer A., Tröscher A., Starke A., Kienberger H., Rychlik M., Hoeflich A., Hammon H. – Dummerstorf/Limburgerhof/Leipzig/Weihestephan

136. Are rumen-protected n-3 and n-6 fatty acids incorporated at different levels in bovine muscles with different metabolism? 156

*Wolf C., Giller K., Ulbrich S. E., Kreuzer M., Berard J. – Zurich

137. Role of glucose and acetic acid in differentiation of bovine pre-adipocytes into mature adipocytes 157

*Sandhu M. A., Jurek S. K., Trappe S., Kolisek M., Aschenbach J. R. – Berlin

138. Effect of dietary conjugated linoleic acid on vitamin A status of lactating rats and their offspring 158

*Zeitj J. O., Most E., Eder K. – Giessen

139. Palmitoylethanolamide -a natural agent with possible anti-inflammatory and anti-oxidative effects against canine atopic dermatitis 159

*Basiouni S., Fuhrmann H. – Leipzig

140. Antioxidant impact and ovary Δ -6 desaturase gene expression during pregnancy, milk fatty acid profile in rabbit does fed with fatty acids supplementation 160

*Maranesi M., Petrucci L., Castellini C., Boiti C., Chiaradia E., Avellini L., Dall'Aglio C., Zerani M., Mattioli S. – Perugia/Camerino (MC)

Other topics

141. Investigations regarding the localisation (anatomical parts) of small intestine elongation in case of exocrine pancreatic insufficiency (EPI) in pigs 161

*Ahlfänger B., Mößeler A., Brehm R., Langheheine M., Kamphues J. – Hanover

142. Longitudinal analysis of faecal microbiome composition of sows after offering a high fibre supplement (TFM) around parturition 162

*Keller B., Leurs M., Galvez E., Strowig T., Keller C., Stürje C., Visscher C. – Hanover/Braunschweig/Ruthe/Sarstedt

143. Fattening performance of dual purpose cockerels as compared to an extensive broiler genotype and laying hybrid cockerels when fed a low protein diet 163

*Mueller S., Messikommer R. E., Kreuzer M., Gangnat I. D. M. – Zurich

144. Effect of floor design (with/without litter) in broiler and turkey housings on feed intake, body weight and foot-pad health 164

*Chuppava B., Visscher C., Ratert C., Keller B., Kriewitz J.-P., Kamphues J. – Hanover

145. Ingestive mastication in horses parallels rumination but not ingestive mastication in cattle and camels 165

*Clauss M., Dittmann M., Runge U., Kreuzer M., – Reading/Neukirch/Zurich

117. Effect of rumen nitrogen balance on <i>in vitro</i> gas production and microbial protein synthesis from different carbohydrate sources	137
*Kand D., Castro Montoya J., Dickhoefer U. – Stuttgart	
118. Decreased phytic acid levels and viscosity in wheat bran through solid-state fermentation with <i>Pleurotus</i> fungi	138
*Wanzenböck E., Tirpanalan Ö., Schedle K., Apprich S., Kneifel W. – Vienna	
119. Expander processed maize in fattening pigs: impact of starch gelatinization on starch digestibility and microbial metabolites in ileal and colonic digesta	139
*Puntigam R., Schedle K., Höblinger E.- M., Schwarz C., Gierus M. – Vienna	
120. Effects of transport/soaking time on results of wet sieve analysis in liquid diet samples	140
*Ratert C., Kölln M., Senkpiel J., Zimmermann J., Kamphues J. – Hanover	
121. Effect of replacement of soybean meal by rape seed meal plus peas in feed on laying performance of two laying hen strains	141
*Halle I. – Braunschweig	
122. Influence of an increasing content of blue sweet lupines (<i>Lupinus angustifolius</i>) in the feed on the growth of broiler chickens	142
*Halle I. – Braunschweig	
123. Effect of varying dietary protein-levels on performance and total body composition in dual-purpose chickens	143
*Urban J., Röhe I., Männer K., Zentek J. – Berlin	
124. Impact of variously processed feeds on gut-associated and peripheral immune cells of broilers	144
*Liermann W., Frahm J., Berk A., Dänicke S. – Dummerstorf/Braunschweig	
125. The effect of dietary cereal type, crude protein content and butyrate application on selected markers of metabolism in broiler chickens	145
*Petrilla J., Mátis G., Kulcsár A., Talapka P., Biró E., Hatala P., Mackei M., Fébel H., Neogrády Z. – Budapest/Herceghalom	
126. Comparison of standard feedstuffs for carps and koi fish with regard to nutrient composition and requirements	146
*Otto D., Hoedtke S., Wolf P. – Rostock	
127. Insect protein in aquafeed - effect of substituting soy protein on protein quality of Tilapia feed	147
*Dietz C., Liebert F. – Göttingen	
128. Struvite urolithiasis in a dog - A case of pet owner's compliance	148
*von und zur Mühlen F., Ratert C., Kölln M., Kamphues J. – Hanover	
129. Effect of <i>Hermetia illucens</i> larvae meal as a protein source on the nutrient digestibility in dogs	149
*Heide C., Kröger S., Zentek J. – Berlin	
Fatty acids	
130. Do maternal dietary omega-3 or omega-6 fatty acids affect embryo-maternal communication and preimplantation embryo development in Angus heifers?	150
*Giller K., Drews B., Berard J., Kienberger H., Spanier B., Geisslinger G., Ulbrich S. E. – Zurich/München/Frankfurt	
131. Acylcarnitine profiles in serum and skeletal muscle and mRNA expression of the carnitine acyltransferases - CPT1B and CPT2 in muscle of dairy cows around parturition	151
*Yang Y., Sadri H., Prehn C., Adamski J., Rehage J., Dänicke S., Saremi B., Sauerwein H. – Bonn/Neuherberg/Hanover/Braunschweig/Hanau	

102. A targeted metabolomics approach to compare metabolic profiles of calves reared on whole milk or on milk replacer	122
*Kenéz A., Korst M., Koch C., Romberg F.- J., Eder K., Sauerwein H., Huber K. – Stuttgart/Bonn/Münchweiler a. d. Alsenz/Giessen	
103. Effect of Birdsfoot trefoil and dietary protein level on growth performance and fatty acid composition of the intramuscular fat of lamb loins	123
*Seoni E., Rothacher M., Dubois S., Battacone G., Dohme-Meier F., Bee G. – Posieux/Sassari	
104. Effects of an additionally ad libitum offered „fibre mix“ in sows on farrowing, colostrum supply and body condition of the sow	124
*Leurs M., Sürle C., Humann-Ziehank E., Schmicke M., Visscher C. – Hanover	
105. Influence of diet's physical form (particle size) and housing (with or without straw) on the development of gastric lesions in piglets after rearing	125
*von und zur Mühlen F., Kamphues J. – Hanover	
106. Effects of whole wheat in the diet and different floor designs on the outcome of an experimental infection with Salmonella Enteritidis in broilers	126
*Kriewitz J.- P., Ratert C., Visscher C., Keller B., Chuppava B., Kamphues J. – Hanover	
107. Effect of dietary insect protein from Tenebrio molitor L. on lipid metabolism in an obese rat model	127
*Gessner D., Schwarz A., Most E., Ringseis R., Berezina N., Hubert A., Eder K. – Giessen/Évry	
108. Effect of species composition of grass silages on nitrogen use efficiency of dairy cows in comparison with a soybean meal and maize silage based diet	128
*Ineichen S., Marquardt S., Wettstein H.- R., Kreuzer M., Reidy B. – Zollikofen/Zurich	
109. Comparative evaluation of lucerne, grass and maize silage-based rations for lactating dairy cows: Feed intake, milk yield and milk composition	129
*Trautwein J., Südekum K.-H., Dusel G., Steingäß H., Romberg F.-J., Koch C., Landfried K. – Bonn/Bingen/Stuttgart/Münchweiler a. d. Alsenz	
110. Search for European plants containing bioactive compounds to lower <i>in vitro</i> methane formation from ruminally fermentable organic matter	130
*Terranova M., Wolter M., Kreuzer M., Braun U., Schwarm A. – Zurich	
111. Effect of brown seaweed <i>Ascophyllum nodosum</i> on rumen fermentation and nutrient digestibility in sheep	131
*Hünerberg M., Zhou M., Reuter T., McAllister T., Guan L. – Göttingen/Lethbridge/Edmonton	
112. Use of nylon bags during <i>in vitro</i> fermentation: Effects on gas production, feedstuffs degradability and short-chain fatty acids concentration	132
*Castro-Montoya J., Hemanth M., Dickhoefer U. – Stuttgart	
113. Effect of a high fiber diet before and during lactation on sow and offspring performance, fecal characteristics and the relation to neonatal <i>Clostridium difficile</i> colonization	133
*Grzeskowiak L., Pieper R., Vahjen W., Zentek J. – Berlin	
114. Roughage based liquid diets for pregnant sows - apparent digestibility of whole plant silages (wheat, rye) and their nutritive value	134
*Sievers S., von und zur Mühlen F., Kamphues J. – Hanover	
115. Variation in water holding and linear buffering capacity of fiber rich feed stuffs	135
*Braach J., Schedle K., Wurzer G. K., Gierus M. – Vienna	
116. Investigations on vitamin B₂ and B₆ contents in organically produced cereal and grain legume varieties	136
*Witten S., Aulrich K. – Westerau	

87. Impact of α-amylase supplementation on energy balance and performance of high-yielding dairy cows on moderate starch feeding	107
*Bachmann M., Bochnia M., Mielenz N., Spilke J., Souffrant W. B., Azem E., Schliffka W., Zeyner A. – Halle (Saale)/Basel	
88. Effect of the flavanols catechin, gallic acid, epigallocatechin and epigallocatechin gallate on <i>in vitro</i> ruminal fermentation	108
*Sinz S., Liesegang A., Kreuzer M., Marquardt S. – Zurich	
89. Effects of isoquinoline alkaloids on milk yield and somatic cell count in dairy cows	109
*Beyer B., Ahrens A., Weber D., Scholz H. – Eltville/Jena/Unterbreitzbach/Bernburg	
90. Effects of a dietary niacin supplementation on muscle fibre composition and related metabolism in dairy cows	110
*Zeitl J. O., Weber A., Koch C., Most E., Windisch W., Eder K. – Giessen/Münchweiler a. d. Alsenz/A./Freising	
91. Glycemic and insulinemic response of warm-blooded mares after feeding of Jerusalem artichoke meal	111
*Glatter M., Bochnia M., Goetz F., Gottschalk J., Köller G., Mielenz N., Einspanier A., Zeyner A. – Halle (Saale)/Leipzig	
92. Influence of vitamin D and 25-hydroxycholecalciferol (25-OHD₃) on RNA expression of P-glycoprotein (P-gp) in the rat	112
*Klumpp K., Schnepel N., Wilkens M. – Hanover	
93. Effect of dietary organic acid salts Potassium diformate (KDF) and sodium diformate (NDF) on growth performance and feed utilization of Red Tilapia (<i>O. niloticus</i> X <i>O. mossambicus</i>) fish grown in brackishwater	113
*Mohamed K., Megahed M., Soltan M. – Ismailia/Suez	
Feedstuff evaluation and feeding	
94. Effects of feeding high-quality hay with graded amounts of concentrate on the bacterial community structure of solid and liquid rumen content in cows	114
*Klevenhusen F., Kleefisch M.- T., Petri R. M., Metzler-Zebeli B. U., Zebeli Q. – Vienna	
95. Effects of feeding high-quality hay with graded amounts of concentrate on dry matter intake, milk yield and milk composition of early lactating dairy cows	115
*Kleefisch M.- T., Hintringer S., Steinbach C., Zebeli Q., Klevenhusen F. – Vienna	
96. Effects of sugar beet silage on ruminal fermentation <i>in vitro</i>	116
*Gresner N., Santosa M., Gerlach K., Südekum K.-H. – Bonn	
97. Feed sorting, eating behavior and production performance of early-lactating cows differing in responsiveness of ruminal pH to high concentrate feeding	117
*Khiaosa-Ard R., Pourazad P., Aditya S., Humer E., Zebeli Q. – Vienna	
98. A meta-analysis of the effect of sugar beet pulp as a feed for dairy cows on dry matter intake, production performance and net food production	118
*Münnich M., Khiaosa-Ard R., Zebeli Q. – Vienna	
99. Investigations on the ruminal fermentation of untreated and cell disrupted microalgae <i>in vitro</i>	119
*Wild K., Steingäß H., Rodehutsord M. – Stuttgart	
100. Effects of varying supply of fibre, starch and sugar for fattening bulls on feed intake and fattening performance	120
*Ettle T., Spiekers H., Obermaier A., Windisch W. – Freising/Grub	
101. Impact of low- and medium-oil corn dried distillers' grains with solubles on growth performance of feedlot cattle	121
*Ribeiro G., Hünerberg M., Gibb D., McAllister T. – Lethbridge/Göttingen/Wainwright	

72. Fermentation characteristics along the equine gastrointestinal tract after feeding of Jerusalem artichoke meal	92
*Glatter M., Wiedner K., Hirche F., Mielenz N., Bochnia M., Cihak A., Glaser B., Wolf P., Breves G., Zeyner A. – Halle (Saale)/Hanover/Rostock	
73. The combination of high dietary zinc oxide and chlortetracycline amplifies enterobacterial antibiotic resistance genes in weaned pigs	93
*Vahjen W., Pieper R., Zentek J. – Berlin	
74. Influence of myo-inositol or phytase supplements on InsP₆ disappearance and myo-inositol concentration in crop, lower ileum, and blood of broilers	94
*Sommerfeld V., Künzel S., Schollenberger M., Kühn I., Rodehutschord M. – Stuttgart/Darmstadt	
75. Investigations on the effects of dietary cereal type, crude protein content and butyrate supplementation on carcass composition of broiler chickens	95
*Mátis G., Kulcsár A., Petrilla J., Talapka P., Bardóczy M., Mackei M., Neogrády Z., Fébel H. – Budapest/Herceghalom	
76. Effects of polyphenol product on performance and blood parameters in heat stressed broilers	96
*Männer K., von Heimendahl E., Bartelt J., Diedenhofen T. – Berlin/Cuxhaven	
77. Energetic benefits of supplementing an endo-1,4-arabinoxylanase/endo-1,4-β-glucanase preparation to wheat-based diet for broiler chickens	97
*Francesch M., Tröscher A., Ader P. – Lampertheim/Constanti	
78. Influences of different dietary levels of Mannan-degrading enzymes on performance, on viscosity in small intestine contents, as well as on histology of small intestine in broilers	98
*Schiel B., Ratert C., Beyerbach M., Kamphues J. – Hanover	
79. The effect of increasing dietary vitamin D3 levels on growth performance and tibia bone measurements of chicks from four genetically diverse purebred layer lines during 12 weeks of rearing	99
*Sievers H., Lieboldt M.-A., Halle I., Hüther L., Frahm J., Kluess J., Dänicke S. – Braunschweig	
80. Dietary myo-inositol enhances serotonin and dopamine concentrations in plasma of 21-day-old broilers	100
*Huber K., Kenéz A., Rodehutschord M. – Stuttgart	
81. Effect of periparturient sows antioxidant supplementation on piglets survival at birth and sows feed intake during lactation	101
*Barbé F., Sacy A., Chevaux E., Le Treut Y., Ramirez B., Korzekwa M. – Blagnac Cedex	
82. The inflammatory response of porcine monocyte-derived dendritic cells to treatment with probiotic <i>E. faecium</i> and pathogenic <i>E. coli</i> strains	102
*Loss H., Aschenbach J., Ebner F., Lodemann U. – Berlin	
83. <i>Ex vivo</i> studies on survival of <i>Salmonella Derby</i> exposed to porcine gastric contents with/without Benzoic acid	103
*Sieverding J., Ratert C., Keller B., Kamphues J. – Hanover	
84. Effects of different Zinc formulations in 25 - 39 days old piglets	104
*Zentek J., Seelhorst S., Männer K. – Berlin	
85. Decontamination of deoxynivalenol (DON) contaminated maize with Na₂SO₃; Treatment effects on health of piglets in a LPS-challenge model	105
*Tran A. T., Paulick M., Kluess J., Frahm J., Berk A., Dänicke S. – Braunschweig	
86. The effect of replacing plasma with increased levels of phytase and soy protein concentrate in a piglet diet	106
*Cordero G., Pique J., ten Doeschate R. – Marlborough/Madrid	

57. L-Arginine requirements for growth and carcass parameters in broilers	77
*Esteve-Garcia E., Khan D. R., Westermeier C. – Constanti/Schwalbach	
58. Impact of different methionine isomers and DL-2-hydroxy-4-methylthiobutyrate (HMTBA) on the quantitative methionine and cysteine metabolism in weaned pigs	78
*Rasch I., Görs S., Tuchscherer A., Saremi B., Htoo J. K., Kuhla B., Metzges C. C. – Dummerstorf/Hanau	
59. Protein quality of chicken diets with complete substitution of soybean meal by insect meal (<i>Hermetia illucens</i>) or algae meal (<i>Spirulina platensis</i>) and graded fortification of dietary amino acid supply	79
*Neumann C., Velten S., Deike K., Liebert F. – Göttingen	
60. Experimental studies on effects of ad libitum feeding and arginine supplementation on performance of sows and piglets	80
*Kulüke A., Visscher C. – Hanover	
61. Excretion of faecal, urinary urea and urinary non-urea nitrogen by four ruminant species as influenced by dietary nitrogen intake: a meta-analysis	81
*Schuba J., Südekum K.-H., Pfeffer E., Jayanegara A. – Halle/Bonn/Bogor	
62. Does the amino acid composition of the equine hoof horn correspond with the observed hoof horn quality in horses?	82
*Gramberg K., Sünder A., Liebert F. – Göttingen	
63. Crude protein fractions and amino acid content of milk replacers, waste and bulk milk	83
*Steinhoff-Wagner J., Keric I., Meyer I., Saremi B., Südekum K.-H. – Bonn/Hanau	
64. Effects of moderate feed restriction and dietary L-arginine supplementation on the characteristics of an acute innate immune response induced systemic metabolic acidosis in cockerels of a dual-purpose breed	84
*Lieboldt M.-A., Frahm J., Halle I., Dänicke S. – Braunschweig	
65. Effects of increasing dietary Methionine concentrations on the antioxidant status of broilers	85
*Zeitj J. O., Mohrmann S., Most E., Fehse L., Saremi B., Eder K. – Giessen/Hanau	
66. Effects of different dietary methionine levels on performance and skin health in growing turkeys	86
*Kabuß V.-L., Kölln M., Helmbrecht A., Meißner J., Kamphues J. – Hanover/Hanau-Wolfgang	
67. Effect of an exogenous protease on growth, pancreas mass and intestinal trypsin activity in chicken fed raw or processed fullfat soybean meal	87
*Sünder A., Schättler J., Wecke C., Liebert F. – Göttingen	
68. Gastro intestinal effects of partly defatted insect meal (<i>Hermetia illucens</i>) and micro algae meal (<i>Spirulina platensis</i>) as substitute for soybean meal in mixed diets for meat type chicken	88
*Velten S., Gruber-Dujardin E., Neumann C., Liebert F. – Göttingen	
69. Response of meat type chickens due to amino acid optimization of mixed diets with 50% replacement of soybean-meal by partly defatted insect meal (<i>Hermetia illucens</i>) or meal from micro algae (<i>Spirulina platensis</i>)	89
*Velten S., Neumann C., Mast J., Liebert F. – Göttingen	
70. Crude protein and ash contents of feathers and feather-free body of actual meat type chicken (Ross 308) depending on age and sex	90
*Wecke C., Khan D. R., Sünder A., Liebert F. – Göttingen	
Feed additives	
71. Influence of grape seed and grape marc meal extract on the hepatic transcript profile and the plasma lipid profile of early lactating dairy cows	91
*Ringseis R., Koch C., Winkler A., Dusel G., Liebisch G., Gessner D., Eder K. – Giessen/Münchweiler a. d. Alsenz/Bingen/Regensburg	